
WITHERBY

WINSTED, CONN., U.S.A.

CHISELS · GOUGES · DRAWING KNIVES

WITHERBY

CHISELS • GOUGES
DRAWING KNIVES



Manufactured by

THE WINSTED EDGE TOOL WORKS

Established 1829

WINSTED, CONNECTICUT, U.S.A.

General Sales Agent

JOHN H. GRAHAM & CO., INC.

105 Duane St., New York 8, N. Y.

Fine Tools Since 1827

IN 1827, in Millbury, Massachusetts, T. H. Witherby started manufacturing the fine steel chisels that today still bear his name. The high standards of quality under which those tools were designed and produced gave Witherby Chisels a very high reputation among tool users.

After forty-two years of consistently maintaining this reputation, the Witherby business and its good will were purchased in 1869 by the Winsted Edge Tool Company of Winsted, Connecticut, an organization that had been manufacturing edged implements since 1829.

Three years after acquiring the Witherby rights, the new owners decided to discontinue their other products and concentrate on Witherby Chisels. Later gouges and drawing knives of similar high quality were added to the Witherby line, and in 1882 the present company name, The Winsted Edge Tool Works, was adopted.

In all these years of expert tool-making from 1827 down to the present day—close to a century and a quarter—a vast wealth of knowledge and experience has been accumulated. The Witherby reputation for high quality has never been lost sight of. The excellence of the steels selected has been maintained. Special hardening and tempering processes have been perfected, to give uniformly hardened surfaces, with absence of soft areas. The procedure of rigid inspection at various vital stages of manufacture is scrupulously upheld.

Equal skill and care are devoted to the design and production of handles for Witherby Tools. Only high grade, second growth white hickory stock is used. For the leather tips, skin of excellent quality is expertly applied. And all handles pass as rigid inspection as is given the steel blades.


These are reasons why we are able to stand behind every Witherby Chisel, Gouge and Drawing Knife with the following unqualified guarantee.

ABSOLUTE SATISFACTION TO THE USER

Our distributors are instructed to have no hesitation in replacing, or refunding purchase price, of any Witherby tool returned as unsatisfactory by the user.

THE WINSTED EDGE TOOL WORKS

WITHERBY SOCKET FIRMER CHISELS



NO. 10 SQUARE EDGE

No. 10—6¼" Blade—Square Edge—Plain Hickory Handle


Sizes	¼"	½"	¾"	1"	1¼"	1½"
Approx. Wt. Doz.	3-14	4-12	6-8	9-5	10-4	11-3

No. 15—6¼" Blade—Bevel Edge—Plain Hickory Handle

Sizes	⅛"	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"	1¾"	2"
Approx. Wt. Doz.	3-7	3-11	4-6	4-8	5-6	6-4	7-7	9-1	9-14	11-0	15-1	17-6

No. 100—6¼" Blade—Square Edge—Leather Tip Hickory Handle

Sizes	¼"	½"	¾"	1"	1¼"	1½"
Approx. Wt. Doz.	3-14	4-12	6-8	9-5	10-4	11-3




NO. 150 BEVEL EDGE

No. 150—6¼" Blade—Bevel Edge—Leather Tip Hickory Handle

Sizes	⅛"	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"	1¾"	2"
Approx. Wt. Doz.	3-7	3-11	4-6	4-8	5-6	6-4	7-7	9-1	9-14	11-0	15-1	17-6

WITHERBY SOCKET CABINET CHISELS




NO. 195 BEVEL EDGE

No. 195—4½" Blade—Bevel Edge—Leather Tip Hickory Handle

Sizes	1/8"	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1¼"	1½"
Approx. Wt. Doz.	3-0	3-8	3-12	4-4	4-10	5-0	5-4	6-8	7-6	8-5

WITHERBY SOCKET POCKET CHISELS




NO. 515 BEVEL EDGE

No. 515—3½" Blade—Bevel Edge—Leather Tip Hickory Handle

Sizes	1/8"	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1¼"	1½"	1¾"	2"
Approx. Wt. Doz.	3-0	3-6	3-10	4-0	4-2	4-4	4-8	5-0	5-9	6-8	7-5	7-8

WITHERBY SOCKET BUTT CHISELS



NO. 565 BEVEL EDGE


No. 565—2½" Blade—Bevel Edge—Leather Tip Hickory Handle

Sizes	1/4"	3/8"	1/2"	5/8"	3/4"	7/8"	1"	1¼"	1½"	1¾"	2"
Approx. Wt. Doz.	2-14	3-3	3-6	3-11	3-13	4-4	4-10	5-0	5-14	6-12	7-2

WINSTED SOCKET POCKET CHISEL

NO. W515 BEVEL EDGE

A high quality mechanics tool with some of the finished refinements of the Witherby line eliminated, and popularly priced.



No. W 515 — 3½" Blade, Bevel Edge, Leather Tip, Mahogany Stained Hickory Handle.
Finish: Blade Polished, Clear Lacquered.

Sizes:	¼"	⅜"	½"	⅝"	¾"	1"	1¼"	1½"
Approx. Wt. Doz. (lbs. & oz.)	3-6	3-10	4-0	4-2	4-4	5-0	5-9	6-8

ALSO FURNISHED IN SETS


W 5154 — Packed in Plain Cardboard Boxes

Sets:		
Approx. Wt. Set (lbs. & oz.)	1-10	4 Tools To A Set
	Sizes — ¼"	½" ¾" 1"

W.P. 5154 — Packed In Plastic Rolls

Sets:		
Approx. Wt. Set (lbs. & oz.)	2-0	4 Tools To A Set
	Sizes — ¼"	½" ¾" 1"

WITHERBY AMBEROID TANG CHISELS



NO. 37 BEVEL EDGE


No. 37—3″ Thin Blade—Bevel Edge—"Amberoid" Handle

Sizes	¼″	⅜″	½″	⅝″	¾″	⅞″	1″	1¼″	1½″
Approx. Wt. Doz.	3-4	3-8	3-10	4	4-2	4-6	4-12	5-6	6-5

WITHERBY TANG FIRMER CHISELS

No. 240 LT—3½″ to 5″ Blades, depending on size—Square Edge—Leather Tip Handle

Sizes	¼″	⅜″	½″	⅝″	¾″	⅞″	1″	1¼″	1½″
Approx. Wt. Doz.	3-4	3-5	4-0	4-7	4-9	5-10	6-6	7-4	10-3




NO. 245 LT BEVEL EDGE

No. 245 LT—3½″ to 5″ Blades depending on size—Bevel Edge—Leather Tip Handle

Sizes	¼″	⅜″	½″	⅝″	¾″	⅞″	1″	1¼″	1½″
Approx. Wt. Doz.	3-0	3-1	3-12	4-4	4-6	5-2	6-0	6-14	9-14

WITHERBY TANG BUTT CHISELS



NO. 275 LT BEVEL EDGE

No. 275 LT—2¾″ Blade—Bevel Edge—Leather Tip Handle

Sizes	¼″	½″	¾″	1″	1¼″	1½″
Approx. Wt. Doz.	3-5	3-8	4-0	4-12	5-2	6-0

WITHERBY CHISELS IN SETS

No. 10 Chisel	Set 6 Tools	¼″	½″	¾″	1″	1¼″	1½″	
Approx. Wt.	3-14							
No. 15 Chisel	Set 6 Tools	¼″	½″	¾″	1″	1½″	2″	
Approx. Wt.	4-6							
No. 15 Chisel	Set 12 Tools	⅛″	to	2″				
Approx. Wt.	8-3							
No. 100 Chisel	Set 6 Tools	¼″	½″	¾″	1″	1¼″	1½″	
Approx. Wt.	3-14							
No. 100 Chisel	Set 12 Tools	⅛″	to	2″				
Approx. Wt.	8-6							
No. 150 Chisel	Set 6 Tools	¼″	½″	¾″	1″	1½″	2″	
Approx. Wt.	4-6							
No. 150 Chisel	Set 12 Tools	⅛″	to	2″				
Approx. Wt.	8-3							
No. 195 Chisel	Set 6 Tools	¼″	½″	¾″	1″	1½″	2″	
Approx. Wt.	3-0							
No. 515 Chisel	Set 6 Tools	¼″	½″	¾″	1″	1¼″	1½″	
Approx. Wt.	2-6							
No. 515 Chisel	Set 12 Tools	⅛″	to	2″				
Approx. Wt.	5-0							
No. 565 Chisel	Set 6 Tools	¼″	½″	¾″	1″	1¼″	1½″	
Approx. Wt.	2-7							
No. 565 Chisel	Set 11 Tools	¼″	to	2″				
Approx. Wt.	4-10							


WITHERBY "AMBEROID" TANG CHISELS

	Set No. 374 — Tools per set — 4 In Display Box	Set No. 376 — Tools per set — 6 In Display Box
Approx. Wt. Doz.	1-5	2-5

All sets, excepting No. 195 and No. 565 may be furnished in either hardwood, varnished boxes or canvas or plastic rolls.




Set No. 5154
Tools per set
4 In
Display Box



Set No. 535-6
Tools per set–6

WITHERBY SOCKET FIRMER GOUGES




NO. 320 LT OUTSIDE BEVEL

No. 320 LT—6¼" Blade—Outside Bevel—Leather Tip Handle

Sizes	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"
Approx. Wt. Doz.	4-1	4-6	5-4	5-12	6-11	7-4	8-13	10-0	13-8

WITHERBY TANG FIRMER GOUGES



NO. 310 LT OUTSIDE BEVEL

No. 310 LT—3½" to 5" depending on size—Outside Bevel—Leather Tip Handle

Sizes	⅛"	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"
Approx. Wt. Doz.	2-8	3-2	3-6	3-13	4-11	5-0	5-12	6-4	7-4	8-14

No. 310 LT—3½" to 5" depending on size—Inside Bevel—Leather Tip Handle

Sizes	⅛"	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"
Approx. Wt. Doz.	2-8	3-2	3-6	3-13	4-11	5-0	5-12	6-4	7-4	8-14

WITHERBY TURNING GOUGES



NO. 340 LONG HANDLE


No. 340—6½" Blade—Short Handle

Sizes	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"
Approx. Wt. Doz.	4-3	4-9	5-0	5-6	6-1	7-3	8-10	11-0	13-8


No. 340—6½" Blade—Long Handle

Sizes	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"
Approx. Wt. Doz.	4-5	4-11	5-2	5-8	6-3	7-5	8-12	11-2	13-10

WITHERBY AMBEROID TANG CHISELS IN SETS



Set No. 37-3
3" Thin Blade-Bevel Edge
"Amberoid" Handle
3 Tools Per Set
In
Display Box
Sizes - ½" - ¾" - 1"



Set No. 37-6
3" Thin Blade-Bevel Edge
"Amberoid" Handle
6 Tools Per Set
Packed In Roll
Sizes - ¼" - ½"
¾" - 1" - 1¼" - 1½"

WITHERBY TURNING CHISELS



NO. 250 LH LONG HANDLE

No. 250—6½" Blade—Short Handle

Sizes	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"
Approx. Wt. Doz.	4-2	4-8	4-14	5-4	5-14	6-15	8-2	10-6	12-10

No. 250—6½" Blade—Long Handle

Sizes	¼"	⅜"	½"	⅝"	¾"	⅞"	1"	1¼"	1½"
Approx. Wt. Doz.	4-4	4-10	5-0	5-6	6-0	7-1	8-4	10-8	12-12

WITHERBY SHORT TURNING TOOLS

4" Blade—Handle 9" Long—1¼" Diameter

Sizes	2S — ½" Skew	4S — 1" Skew	2SP—½" Spearpoint
Approx. Wt.	1-8	3-12	1-8

	2RN — ½" Round Nose	2PT — ½" Parting Tool
Approx. Wt.	1-8	1-8

	1G — ¼" Gouge	2G — ½" Gouge	3G — ¾" Gouge
Approx. Wt.	1-6	2-8	3-0


Set STT 6 — Omit 4S and 3G from above list

Approx. Wt. 1-0

Set STT 8 — One each above

Approx. Wt. 1-8


WITHERBY PARTING TOOLS



NO. 380 LONG HANDLE

	No. 380 — 6½" Blade — Short Handle	No. 380 — 6½" Blade — Long Handle
Size	½"	½"
Approx. Wt. Doz.	3-8	3-10

WITHERBY SOCKET FRAMING CHISELS



NO. 60 SQUARE EDGE

No. 60—8″ Blade—Square Edge—Iron Ring Handle

Sizes	¼″	⅜″	½″	⅝″	¾″	⅞″	1″	1¼″	1½″	1¾″	2″
Approx. Wt. Doz.	9-14	10-10	11-5	12-5	13-7	14-8	15-12	18-	20-4	26-	31-1

No. 60 LT—8″ Blade—Square Edge—Leather Tip Handle

Sizes	¼″	⅜″	½″	⅝″	¾″	⅞″	1″	1¼″	1½″	1¾″	2″
Approx. Wt. Doz.	9-14	10-18	11-5	12-5	13-7	14-8	15-12	18-	20-4	26-	31-3


No. 65—8″ Blade—Bevel Edge—Iron Ring Handle

Sizes	¼″	⅜″	½″	⅝″	¾″	⅞″	1″	1¼″	1½″	1¾″	2″
Approx. Wt. Doz.	9-12	10-16	11-3	12-3	13-5	14-6	15-10	17-14	20-2	25-14	31-1

No. 65 LT—8″ Blade—Bevel Edge—Leather Tip Handle

Sizes	¼″	⅜″	½″	⅝″	¾″	⅞″	1″	1¼″	1½″	1¾″	2″
Approx. Wt. Doz.	9-12	10-16	11-3	12-3	13-5	14-6	15-10	17-14	20-2	25-14	31-1

WITHERBY SOCKET SLICKS




NO. 45 LONG HANDLE

No. 45—10″ Blade—Long Handle

Sizes	2½″	3″
Approx. Wt. Doz.	42-0	50-0

WITHERBY DRAWING KNIVES



NO. 115 RAZOR BLADE

One Piece All Steel Blade—Maple Handles Ebony Black

	No. 115—Razor Blade					
Sizes	6″	7″	8″	9″	10″	12″
Approx. Wt.	11-0	13-8	13-12	14-6	15-5	17-13

	No. 145—Shingle	
Sizes	12″	14″
Approx. Wt.	19-4	20-11

	No. 175—Heavy Stripping	
Sizes	12″	14″
Approx. Wt.	27-0	28-8

	No. 205—Folding Handle		
Sizes	8″	9″	10″
Approx. Wt.	19-10	21-12	23-8

Printed in U. S. A.

Pointers

Of Interest to the Retail Salesman and All Users of Chisels, Gouges and Drawing Knives.

1. WITHERBY Tools are forged from the best Crucible Steel.
2. Our process of hardening and tempering, positively eliminates soft spots, insures a uniform and a perfect cutting edge at every grinding.
3. Every tool is subjected to three rigid inspections.
4. Every tool bearing our trade mark possesses qualities unsurpassed by any other make.

WITHERBY
WINSTED, CONN., U.S.A.